

# POSCO STEEL CO., LTD

Email: [info@poscoil.com](mailto:info@poscoil.com)


Web: [www.poscoil.com](http://www.poscoil.com)

Add: No. 7, Nongshi Road, Xishan District, Wuxi City

---

POSCO, forge our brand with integrity, earn trust with professionalism, join hands with global partners, and create brilliance together.

# WHAT WE DO



Our mission is to provide high-quality metal materials while promoting sustainability and building lasting relationships with our customers and partners.

我们的使命是提供高质量的金属材料，同时促进可持续发展并与我们的客户和合作伙伴建立持久的关系。

# CONTENT 目录

<b>01</b>	企业简介 Enterprise Profile	01
<b>02</b>	企业文化 Enterprise Culture	03
<b>03</b>	产品介绍 Product Introduction	05
<b>04</b>	生产加工车间 Working Shop & Process Center	10
<b>05</b>	库存中心 Inventory Center	12
<b>06</b>	包装，装柜 Packing & Loading	13
<b>07</b>	铝表面 Aluminum Surface	14



# 企业简介

## ENTERPRISE PROFILE

POSCO STEEL CO., LTD is a comprehensive steel enterprise dedicated to providing global clients with complete steel solutions. We operate an advanced steel processing center in China, and with our extensive production and export experience, our products have been successfully exported to over 50 countries. We serve a wide range of industries, striving to meet diverse customer needs.


We not only have advanced processing equipment but also offer cutting, surface treatment, and customized services to ensure that every stainless steel product meets strict quality standards and fulfills unique customer requirements.

We adhere to the principles of "Continuous Improvement and Win-Win Cooperation" and have earned widespread trust and praise from both domestic and international clients through rigorous quality control and excellent after-sales service.

POSCO STEEL是一家综合性钢铁企业，致力于为全球客户提供完整的钢铁解决方案。我们在中国拥有先进的钢铁加工中心，凭借丰富的生产和出口经验，我们的产品已成功出口到50多个国家。我们服务于广泛的行业，努力满足多样化的客户需求。

我们不仅拥有先进的加工设备，还提供切割、表面处理和定制服务，以确保每件不锈钢产品都符合严格的质量标准并满足独特的客户要求。

我们坚持“持续改进、合作共赢”的原则，通过严格的质量控制和优质的售后服务赢得了国内外客户的广泛信任和赞誉。





# 企业文化

## Enterprise Culture



**Integrity:** We uphold the highest ethical standards, treating our employees, clients, and partners with honesty and respect. Trust is the cornerstone of our relationships, and we hold ourselves accountable for our actions.



**Excellence:** We strive for excellence in everything we do. We encourage our employees to set ambitious goals, continuously learn and develop their skills, and deliver outstanding results that exceed expectations.



**Collaboration:** We believe in the power of collaboration. We foster an inclusive and diverse workplace where every voice is valued, and teamwork is celebrated. By leveraging the collective intelligence of our talented individuals, we drive innovation and achieve remarkable outcomes.





**Customer-Centricity:** Our customers are at the heart of everything we do. We listen attentively to their needs, anticipate their expectations, and go above and beyond to deliver exceptional experiences. We are committed to building long-lasting relationships based on trust and mutual success.



**Growth Mindset:** We embrace a growth mindset, continuously pushing the boundaries of what's possible. We encourage experimentation, embrace failure as a learning opportunity, and nurture a culture of continuous improvement. Our employees are encouraged to explore new ideas and challenge the status quo.



**Work-Life Balance:** We understand the importance of work-life balance and the well-being of our employees. We strive to create a supportive and flexible environment that allows individuals to thrive both personally and professionally.



OUR TEAM

OFFICE ENVIRONMENT



# 产品介绍

## Product Introduction




www.poscoil.com

### 铝板 Aluminum Plate

Grade: 1050,1060,1100,3003,3004,3105.5052,5005, 5083,6061,6063,7075 etc  
Standard: ASTM SAE EN JISISO GB  
Thickness: 0.1mm-200mm  
Width: 1000,1250,1500mm or as required  
Length: 2000,2500,3000mm or as required  
Certifications: ISO 9001,SGS,BV

等级: 1050、1060、1100、3003、3004、3105、5052、5005、5083、6061、6063、7075等  
标准: ASTM SAE EN JISISO GB  
厚度: 0.1 mm - 200 mm  
宽度: 1000、1250、1500mm或根据需要  
长度: 2000、2500、3000mm或根据需要  
认证: ISO 9001, SGS, BV



### 铝坯 Aluminum Billets

Standard: ASTM B221M,GBT 3191JIS H4040,etc.  
Material: 5052,5652,5154,5254,5454 5083,2014,2014A,2214 ,2017,2017A, 2117,5086 etc.  
Diameter: 6-800mm

标准: ASTM B221M , GBT 3191JIS H4040等等。  
材料: 5052, 5652, 5154, 5254, 5454, 5083, 2014, 2014, 2214, 2017, 2017, 2117, 5086等。  
直径: 6 - 800 mm



### 铝卷 Aluminum Coil



Grade: 1050,1060,1100,3003,3004,3105 . 5052,5005.5083.6061,6063,7075 etc  
Standard: ASTM SAE EN JISISO GB  
Size: According to the customer's requests  
Thickness: 0.1mm-10.0mm  
Width: 100mm-2500mm  
Certifications: ISO 9001,SGS,BV

等级: 1050、1060、1100、3003、3004、3105、5052、5005、5083、6061、6063、7075等  
标准: ASTM SAE EN JISISO GB  
尺寸: 可根据客户要求定做  
厚度: 0.1 mm - 10.0 mm  
宽度: 100 mm - 2500 mm  
认证: ISO 9001, SGS, BV



### 铝管 Aluminum Tube



Material: 5052,5652,5154,5254,5454,5083,2014,2014A,2214, 2017,2017A,2117,5086,5056,5456,2024,2014,6061,6063,6082,etc  
Specification for round pipe:  
OD(15mm-160mm)/WT(1-40mm)/Length(1-12m)  
Specification for square pipe:  
SIZE(7X7mm-150X150mm)/WT(1-40mm)/ Length(1-12m)

材料: 5052、5652、5154、5254、5454、5083、2014、2014、2214、2017、2017、2117、5086、5056、5456、2024、2014、6061、6063、6082等  
圆管规格:  
OD(15毫米- 160毫米)/ WT (1-40mm) /长度(1-12m)  
方管规格:  
大小(7 x7mm - 150 x150mm) / WT (1-40mm) / 长度(1-12m)





铝锭

Aluminum Ingot

Model Number: A7,A00,A1,AIB8,ADC12 Material: 1050, 1060,1070,2014,2024(2 A12).3003 etc  
shape: round,rectangle or customized sandblasting, checkered, embossed, etched  
Application: construction, electricity,packaging,transportation and consumer goods.

型号: A7 , A00,A1,AIB8 , ADC12材料: 1050,1060,1070, 2014,2024 ( 2 A12) 3003年等

形状: 圆形, 矩形或定制喷砂, 格子, 浮雕, 蚀刻  
用途: 建筑、电力、包装。运输和消费品。



铝压花板

Aluminum Embossed Plate



ALLOY: 1050,1060,1100,1200,3003,3005,3105,5005,5052,5754, 8011

THICKNESS: 0.3-4.0mm 4.0-10.0mm

WIDTH: 500-1550mm

LENGTH: 500-9000mm

Pattern type: big five bars, small five bars, three bars, pointer type, diamond shape, orange peel pattern

SURFACE QUALITY: be free from Oil Stain, Dent.Inclusion, Scratches, Stain, Oxide Discoloration,Breaks,Corrosion, Roll Marks, Dirt Streaks and other defect which will interfere with use.

合金: 1050,1060,1100,1200,3003,3005,3105,5005,5052,5754,8011

厚度: 0.3-4.0mm 4.0-10.0mm

宽度: 500 - 1550毫米

长度: 500 - 9000毫米

花样类型: 大五小节, 小五小节, 三小节, 条形, 指针型, 菱形, 橙皮模式

表面质量: 无油污、凹痕。夹杂物、划痕、污渍、氧化变色、断裂、腐蚀、滚痕、污迹和其他影响使用的缺陷。

Regular Aluminum Grade Composition Content

Grade	Si+Fe	Cu	Mn	Zn	Ai				
1100	≤0.95	0.05~0.20	≤0.05	≤0.10	99.00				

Grade	Si	Fe	Cu	Mn	Mg	Zn	Ti	V	Ai
1060	≤0.25	≤0.35	≤0.05	≤0.03	≤0.03	≤0.05	≤0.03	≤0.05	99.6

Grade	Si	Fe	Cu	Mn	Mg	Zn	Ti	V	Ai
1050	≤0.25	≤0.4	≤0.05	≤0.05	≤0.05	≤0.05	≤0.03	≤0.05	99.5

Grade	Si	Fe	Cu	Mn	Mg	Ni	Zn	V	Ai
2024	≤0.05	≤0.05	3.8~4.9	0.3~0.9	1.2~1.8	≤0.10	≤0.25	≤0.15	Balance

Grade	Si	Fe	Cu	Mn	Zn	Ai			
3003	≤0.60	≤0.70	0.05~0.20	1.0~1.5	≤0.10	Balance			

Grade	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ai	
3005	≤0.60	≤0.70	≤0.03	1.0~1.5	0.2~0.6	≤0.10	≤0.10	Balance	

Grade	Si	Fe	Cu	Mn	Mg	Zn	Cr	Ai	
5005	≤0.30	≤0.70	≤0.20	≤0.20	0.5~1.1	≤0.20	≤0.10	Balance	

Grade	Si	Fe	Cu	Mn	Mg	Zn	Cr	Ti	Ai
5083	≤0.40	≤0.40	≤0.10	0.4~1.0	4.0~4.9	≤0.25	0.05~0.25	≤0.15	Balance

Grade	Si	Fe	Cu	Mn	Mg	Zn	Cr	Ai	
5052	≤0.25	≤0.40	≤0.10	≤0.10	2.2~2.8	≤0.10	0.15~0.35	Balance	


Grade	Si	Fe	Cu	Mn	Mg	Cr	Ti	Zn	Ai
6063	0.2~0.6	≤0.35	≤0.10	≤0.10	0.45~0.90	≤0.10	≤0.10	≤0.10	Balance

Grade	Si	Fe	Cu	Mn	Mg	Cr	Ti	Zn	Ai
6061	0.4~0.8	≤0.70	0.15~0.40	≤0.15	0.8~1.2	0.04~0.35	≤0.15	≤0.25	Balance




# 包装 & 装柜

Packing & Loading



# 铝表面


Aluminum Surface



Brushed aluminum plate



Oxidation aluminum plate



Matte aluminum plate



Mirror aluminum plate





Figure aluminum plate



Diamond Aluminum Plate



5 Bar Aluminum Checker Plate



PS Aluminum Plate



Color Aluminum Plate





# 生产加工车间

Working Shop & Process Center



## Aluminum Forming Products





# 生产加工车间

Working Shop & Process Center

# 库存中心

Inventory Center

