



POSCO STEEL CO., LTD

Email: info@poscoil.com


Web: www.poscoil.com

Add: No. 7, Nongshi Road, Xishan District, Wuxi City

POSCO STEEL CO., LTD

POSCO, forge our brand with integrity, earn trust with professionalism, join hands with global partners, and create brilliance together.

WHAT WE DO



Our mission is to provide high-quality metal materials while promoting sustainability and building lasting relationships with our customers and partners.

我们的使命是提供高质量的金属材料，同时促进可持续发展并与我们的客户和合作伙伴建立持久的关系。

CONTENT

目录

01	企业简介 Enterprise Profile	01
02	企业文化 Enterprise Culture	03
03	产品介绍 Product Introduction	05
04	生产加工车间 Working Shop & Process Center	11
05	库存中心 Inventory Center	12
06	包装，装柜 Packing & Loading	13
07	国际不锈钢牌照对照表 International Stainless Steel Grade Comparison Table	14

POSCO STEEL CO., LTD is a comprehensive steel enterprise dedicated to providing global clients with complete steel solutions. We operate an advanced steel processing center in China, and with our extensive production and export experience, our products have been successfully exported to over 50 countries. We serve a wide range of industries, striving to meet diverse customer needs.

We not only have advanced processing equipment but also offer cutting, surface treatment, and customized services to ensure that every stainless steel product meets strict quality standards and fulfills unique customer requirements.

We adhere to the principles of "Continuous Improvement and Win-Win Cooperation" and have earned widespread trust and praise from both domestic and international clients through rigorous quality control and excellent after-sales service.

POSCO STEEL是一家综合性钢铁企业，致力于为全球客户提供完整的钢铁解决方案。我们在中国拥有先进的钢铁加工中心，凭借丰富的生产和出口经验，我们的产品已成功出口到50多个国家。我们服务于广泛的行业，努力满足多样化的客户需求。

我们不仅拥有先进的加工设备，还提供切割、表面处理和定制服务，以确保每件不锈钢产品都符合严格的质量标准并满足独特的客户要求。

我们坚持“持续改进、合作共赢”的原则，通过严格的质量控制和优质的售后服务赢得了国内外客户的广泛信任和赞誉。



企业文化

Enterprise Culture



Integrity: We uphold the highest ethical standards, treating our employees, clients, and partners with honesty and respect. Trust is the cornerstone of our relationships, and we hold ourselves accountable for our actions.



Excellence: We strive for excellence in everything we do. We encourage our employees to set ambitious goals, continuously learn and develop their skills, and deliver outstanding results that exceed expectations.



Collaboration: We believe in the power of collaboration. We foster an inclusive and diverse workplace where every voice is valued, and teamwork is celebrated. By leveraging the collective intelligence of our talented individuals, we drive innovation and achieve remarkable outcomes.




Customer-Centricity: Our customers are at the heart of everything we do. We listen attentively to their needs, anticipate their expectations, and go above and beyond to deliver exceptional experiences. We are committed to building long-lasting relationships based on trust and mutual success.



Growth Mindset: We embrace a growth mindset, continuously pushing the boundaries of what's possible. We encourage experimentation, embrace failure as a learning opportunity, and nurture a culture of continuous improvement. Our employees are encouraged to explore new ideas and challenge the status quo.



Work-Life Balance: We understand the importance of work-life balance and the well-being of our employees. We strive to create a supportive and flexible environment that allows individuals to thrive both personally and professionally.




OUR TEAM

OFFICE ENVIRONMENT

产品介绍

Product Introduction




不锈钢冷轧板/卷

Stainless Steel Cold Rolled Sheet & Coil

Specifications: As per ASTM & AISI Standards
 Stainless Steel: 304, 304L, 316, 316L, 309S, 310S, 321, 430, 201, 202, 904L
 Duplex & Super Duplex: S31803, S32750, S32760, S31500, S32205
 Thickness: 0.3mm-6.0mm
 Width: 1000mm/1219mm/1250mm/1500mm or as your request
 Length: 2000/2438/3000/6000mm or In Coil Form
 Finish: 2B/BA/No.4/HL/8K
 Coil ID: 510mm & 610mm depending on thickness & width of coil

规格: 依据ASTM和AISI标准
 不锈钢型号: 304, 304L, 316, 316L, 309S, 310S, 321, 430, 201, 202, 904L
 双相不锈钢: S31803, S32750, S32760, S31500, S32205
 厚度: 0.3mm~6.0mm 宽度: 1000mm/1219mm/1250mm/1500mm 或根据客户需求
 长度: 2000/2438/3000/6000mm 或者卷
 表面: 2B/BA/No.4/HL/8K
 卷径: 510mm&610mm 根据宽度和厚度来定



不锈钢热轧板/卷

Stainless Steel Hot Rolled Sheet & Coil

Specifications: As per ASTM & AISI Standards
 Stainless Steel: 304, 304L, 316, 316L, 309S, 310S, 321, 430, 201, 202, 904L
 Duplex & Super Duplex: S31803, S32750, S32760, S31500, S32205
 Thickness: Plate: 3mm-100mm Coil: 30mm~140mm
 Width: 1500mm/1800mm/2000mm or as your request
 Length: 2000/3000/6000mm or In Coil Form
 Finish: NO.1

规格: 依据ASTM和AISI标准
 不锈钢型号: 304, 304L, 316, 316L, 309S, 310S, 321, 430, 201, 202, 904L
 双相不锈钢: S31803, S32750, S32760, S31500, S32205
 厚度: 板: 3mm~100mm 卷: 30mm~140mm
 宽度: 1500mm/1800mm/2000mm 或者根据客户需求来定
 长度: 2000/3000/6000mm 或者卷
 表面: NO.1

不锈钢钢带

Stainless Steel Strip

Specifications: As per ASTM & AISI Standards
Stainless Steel: 304,304L,316,316L,309S,310S,321,430,201,202,904L
Duplex & Super Duplex: S31803,S32750.S32760.S31500 S32205
Thickness: 0.3mm -3mm
width: 15mm to 600mm or as your request
Length: In Coil Form
Finish: 2B/BA

规格: 依据ASTM和AISI标准

不锈钢型号: 304,304L,316,316L,309S,310S,321,30,201,202,904L

双相不锈钢: S31803,S32750.S32760.S31500 S32205

厚度: 0.3mm~3mm宽度:15mm~600mm 或者根据客户需求来定

长度: 卷

表面: 2B/BA



不锈钢无缝管

Stainless Steel Seamless Pipe

Grade: 201,202,304,304L,321,316,316L,309S,310S,410,420,430,444,904L,2205,2507 etc.
Thickness: 1.0-12.0mm Outer diameter: 6-630mm
Length: 6m or as customer's requirement
Finish: Polished, Pickled, hairline, mirror
Shape: Round, square, rectangular, oval
Technology: Seamless
Packaging: Standard exporting packing
Standard: JIS, AISI, ASTM, GB, DIN, EN etc.

等级: 201,202,304,304L,321,316,316L,309S,310S,410,420,430,444,904L,2205,2507等

厚度: 10-12mm外径:6-630mm 长度:6m 或根据客户要求


表面处理: 抛光,酸洗,拉丝,镜面

形状: 圆形、方形、长方形、稍圆形

技术: 无缝

包装: 标准出口包装

执行标准: JIS, AISI, ASTM, GB, DIN, EN



不锈钢焊管

Stainless Steel Welded Pipe

Grade: 201,202,304,304L,321,316,316L,309S,310S,410,420,430,444,904L,2205,2507 etc.
Thickness: 0.5-10mm
Outer diameter: 10.0-219mm
Length: 6m or as customer's requirement
Finish: Polished, Pickled, hairline, mirror
Shape: Round, square, rectangular, oval
Packaging: Standard exporting packing
Standard: JIS, AISI, ASTM, GB, DIN, EN, etc.

等级: 201,202,304,304L,321,316,316L,309S,310S,410,420,430,444,904L,2205,2507等

厚度: 0.5-10.0mm

外径: 10.0-219mm

长度: 6m 或根据客户要求

表面处理: 抛光,酸洗,拉丝,镜面

形状: 圆形,方形,长方形,圆形

包装: 标准出口包装

执行标准: JIS, AISI, ASTM, GB, DIN, EN



不锈钢扁钢

Stainless Steel Flat Bar

Width: 10-400mm or as customer's requirements
Thickness: 0.6-25mm, or as customer's requirements
Length: 1000-6000mm or as requirements
Finish: Hairline, Polished, Annealing
Grade: 201,202,301,302,303,304,304L,304N1,309S,310S,316,316L,316Ti,316N,317,317L,321,409L,410,420,430,904,904L, etc
Standards: AISI, ASTM, JIS, SUS, DIN, GB
Packing: Industry standard packaging or according to client's requirement

宽度: 10-400mm或根据客户要求

厚度: 0.6-25mm,也可根据客户要求定做

长度: 1000-6000mm或根据要求



表面处理: 拉丝,抛光,退火

等级: 201,202,301,302,303,304,304L,304N1,309S,310S,316,316L,316Ti,316N,317,317L,321,409L,410,420,430,904,904L等

标准: AISI, ASTM, JIS, SUS, DIN, GB


包装: 按行业标准包装或按客户要求包装

不锈钢角钢

Stainless Steel Angle Bar

Specification: 20*20-200*200mm
Thickness: 3mm-12mm(Size can be customized.)
Finish: Pickling, Polish, Annealing
Grade: 201,202,301,302,303,304,304L,304N1,309S,310S,316,316L,316Ti,316N,317,317L,321,409L,410 420,430,904,904L etc.
Standards: AISI,ASTM,JIS,SUS,DIN,GB
Packing: Industry standard packaging or according to client's requirement

规格: 20*20-200*200毫米
厚度: 3mm-12mm;(尺寸可定制)
表面处理: 酸洗,抛光,退火
等级: 201,202,301,302,303,304,304L,304N1,309S,310S,316,316L,316Ti,316N,317,317L,321,409L,410,420,430,904,904L等
标准: AISI,ASTM,JIS,SUS,DIN,GB
包装: 按行业标准包装或按客户要求包装



不锈钢槽钢

Stainless Steel Channels

Specifications: ASTM/DIN
Stainless Steel: 304,304L,304H,303,316,316L,321,316Ti
Size: Various Sizes
Length: 5m to 12 m

标准: ASTM/DIN
型号: 304,304L,304H,303,316,316L,321,316Ti 尺寸: 各种尺寸
长度: 5m到12m



不锈钢圆棒

Stainless Steel Round Bar

Grade: 201,202,304,304L,316,316L,430,310S,etc
Diameter: 3-800mm or forged as your requirement
Length: 6m or as customer's requirement
Shape: Round
Finish: PolishedPickled
Standard: JIS,AISI,ASTM,GB,DIN,EN
Packaging: Standard exporting packing


等级: 201,202,304,304L,316,316L,430,310S等 直径:3-800mm或定制
长度: 6米或者根据客户需求
形状: 圆形
表面: 抛光,酸洗
标准: JIS,AISI,ASTM,GB,DIN,EN
包装: 标准出口包装



Surface finish	Characteristics and application
No.1	Polished with abrasive belt of grit#100-#200, have better brightness with discontinuous coarse stria, used as inner and external ornaments for building, electrical appliances and kitchen utensils etc.
2B	The surface brightness and flatness of no.2B is better than no.1. then through a special surface treatment to improve its mechanical properties,No.2B could nearly satisfy comprehensive uses.
BA	Cold rolled, bright annealed and skin-passed, the product have excellent brightness and good reflexivity like mirror, kitchen apparatus, ornament etc.
No.4	Polished with abrasive belt of grit #150-#180,have better brightness with discontinuous coarse stria, but thinner than 2B, are used as bathtub buildings inner and external ornaments electrical appliances kitchen utensils and food processing equipment etc.
HL	Polished with abrasive belt of grit #150-#320 on the NO.4 finish and has continuous streaks, mainly used as buildings ornaments elevators, door of building, frontal plate etc.
8K	The product have excellent brightness and prefer reflexivity can to be as the mirror.

包装 & 装柜

Packing & Loading



国际不锈钢牌号对照表

International Stainless Steel Grade Comparison Table

N0	China	Japan	U. S	U. K	Germany	France
1	1Cr18Mn8Ni5N	SUS202	202, S20200	284S16	X12CrNi177	Z12CN17. 07
2	1Cr17Ni7	SUS301	301, S30100	301S21	X12CrNi188	Z10CN18. 09
3	1Cr18Ni9	SUS302	302, S30200	302S25	X5CrNi189	Z6CN18. 09
4	0Cr18Ni9	SUS304	304, S30300	304S15	X2CrNi189	Z2CN18. 09
5	00Cr19Ni10	SUS304L	304L, S30403	304S12		Z5CN18. 09A2
6	0Cr19Ni9N	SUS304N1		304N S30451	X2CrNi1810	Z2CN18. 10N
7	00Cr18Ni10N	SUS304LN			X5CrNi1911	Z8CN18. 12
8	1Cr18Ni12	SUS305	305, S30500	305S19		
9	0Cr23Ni13	SUS309S	309S, S30908			
10	0Cr25Ni20	SUS310S	310S, S31008		X5CrNiMo1812	Z6CND17. 12
11	0Cr17Ni12Mo2	SUS316	316, S3160	316S16	X2CrNiMo1812	Z2CND17. 12
12	00Cr17Ni14Mo2	SUS316L	316L, S31603	316S12		
13	0Cr17Ni12Mo2N	SUS316N	316N, S31651			
14	00Cr18Ni14Mo2Cu2	SUS316J1L				
15	0Cr19Ni13Mo3	SUS317	317, S31700	317S16	X2CrNiMo1816	Z2CN19. 15
16	00Cr19Ni13Mo3	SUS317L	317L, S31703	317S12	X10CrNiTi189	
17	1Cr18Ni9Ti					
18	0Cr19Ni10Ti	SUS321	321, S32100	321S12321S20	X10CrTi189	Z6NT18. 10
19	0Cr18Ni11Nb	SUS347	347, S34700	347S17	X10CrNiNb189	Z6NNb18. 10
20	0Cr13Al	SUS405	405, S40500	405S17	X71CrAl113	Z6CA13
21	1Cr17	SUS430	430, S43000	430S15	N8Cr17	Z8C17
22	00Cr27Mo	SUSXM27	XM27, S44625			Z01CD26. 1
23	1Cr12	SUS403	403, S40300	403S17		
24	1Cr13	SUS410	410, S41000	410S21	X10Cr13	Z12C13
25	0Cr13	SUS410S	410S	403S17	X7Cr13	Z6C13
26	1Cr13Mo	SUS410J1				
27	2Cr13	SUS420J1	420, S42000	420S37	X20Cr13	Z20C13
28	3Cr13	SUS420J2		420S45		Z15CN16. 02
29	1Cr17Ni2	SUS431	431, S43100	431S29	X22CrNi17	
30	TCr17	SUS440A	440, S44002			
31	8Cr17	SUS440B	440, S44003			Z100CD17
32	9Cr18	SUS440C	440C		X105CrMo17	Z6CNU17. 04

生产加工车间

Working Shop & Process Center



库存中心

Inventory Center

